NON-PLANT FOOD INGREDIENTS:

Humic Acid			
Fulvic Acid			1.00%
Derived from: Leonardite Shale and Ascophyllum			
Nodosum			

Application Rates & Recommendations:

Curative / Low CEC / High Sand Application: Apply 6-12 oz per 1000 sqft per month during growing season as needed. Total minimum season rates of 20 quarts per acre should be applied to highly stressed areas

Maintenance Rate: Apply 1-6 ounces per 1000 sqft per month during growing season as part of a complete agronomic fertility program

Drench Applications: Apply 8-64 ounces per 10-100 gallons of water as needed

Fertigation: Apply through irrigation systems at a rate of 1-4 gallons per acre per treatment. Repeat as needed

Use sufficient water for thorough and uniform coverage of foliage or soil. Always make a bench test to check compatibility of unknown mixes. Avoid tank mixing with heavy-phosphate fertilizers or alkaline products. Apply in early morning or late evening, avoid excessive heat or dry conditions.



813-752-4950 | Weight per gallon: 8.90 lbs | F910



Soil Builder CEC+ is a Humic Acid based biostimulant formulation derived from Leonardite Shale and Ascophyllum Nodosum. This product aids in the uptake and activation of nutrients applied, provides organic matter, improves cationic exchange capacity, aids moisture retention, and aids in the remediation of salt issues.

Seller warrants that products will be labeled as required under state and federal law and that they conform to the label description. Any nonconformance must be reported in writing to Seller within thirty (30) days after purchase as a prequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery.

THE SELLER'S LIABILITY ON THIS WARRANTY IS LIMITED INAMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITYAND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYONDTHIS STATEMENT.

Prevention: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear chemical splash proof goggles and chemical resistant gloves.

Response: Get medical attention/advice if you feel unwell. <u>If in eyes</u>: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

If swallowed: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

If on skin (or hair): Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse. If skin irritation occurs, get medical attention.

<u>If inhaled</u>: Remove person to fresh air and keep comfortable for breathing.

Storage: Keep container tightly closed when not in use. Store above 42°F.

Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

Product is not classified as hazardous under 29 CFR 1910.1200 under normal conditions.

Keep away from children. Do not drink. Do not contaminate feed, seed or water. Read SDS

Net Weight:

Net Contents:

Lot Number:

version 02.09.2024