SAFETY DATA SHEET

Ceia KarbN Max Date Prepared: 08/19/2024 Replaces: All Previous

SECTION 1. IDENTIFICATION

Product Name: Ceia KarbN Max

Synonyms: None

Use: Agricultural, Liquid Micronutrient Fertilizer

Manufacturer: Chemical Dynamics, Inc.

4206 Business Lane Plant City FL 33566

Phone: 813-752-4950 Chemtrec (Emergency) Phone: 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Pictogram	Signal Word	Hazard Class	Hazard Category	Hazard Statement
	WARNING	Skin Irritation Eye Irritation	Cat 2 Cat 2A	Causes skin and serious eye irritation.
		STOT: repeat exposure	Cat 2	May cause damage to central nervous system through prolonged or repeat exposure

Precautionary Statements:

Prevention: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear chemical splash proof goggles and chemical resistant gloves. **Response:** Get medical attention/advice if you feel unwell.

<u>If in eyes:</u> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

<u>If swallowed</u>: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water. <u>If on skin (or hair)</u>: Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse. If skin irritation occurs, get medical attention.

<u>If inhaled</u>: Remove person to fresh air and keep comfortable for breathing. **Storage:** Keep container tightly closed when not in use. Store above 42°F

Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

SECTION 3. COMPOSITION				
Material	CAS#	EINECS #	%WT	
Manganese Glucoheptonate	12565-60-5	811-234-5	4-5%	
Potassium Acetate	127-08-2	204-822-2	8-9%	
Ferrous Glucoheptonate	25126-38-9	Not Assigned	Proprietary Blend of	
Urea	57-13-6	200-315-5	materials not classified as	
Water	7732-18-5	231-791-2	hazardous or are below de	
			minimus concentration	
			classification limits.	

See product label for guaranteed analysis.

	SECTION 4. FIRST AID MEASURES
General:	In case of persisting adverse effects consult a physician. Treat symptomatically.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give
	anything by mouth to an unconscious person.
Skin Contact:	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and
	water. Wash contaminated clothing before reuse. If skin irritation occurs, get
	medical advice/attention.
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing.
	Provide artificial respiration if necessary. Seek medical attention if necessary.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses if
	present and easy to do. Continue rinsing. If eye irritation persists, get medical
	attention.
Acute Exposure	Irritation to respiratory tract. Irritation or burning sensation to eyes. Prolonged
Symptoms:	or repeated contact with skin may cause skin irritation. Ingestion of product
	solution may cause irritation of the gastrointestinal tract to include nausea,
	vomiting and diarrhea. Potassium thiosulfate is considered to have a low toxicity
Character Francisco	to humans.
Chronic Exposure Symptoms:	Prolonged skin contact may result in dermatitis (inflammation and redness of skin). Manganese may lead to neurotoxicity that resembles Parkinson disease.
Symptoms.	These patients may have bradykinesia, resting tremor, psychiatric disturbances,
	and shuffling gait.
	SECTION 5. FIRE FIGHTING MEASURES
Extinguishing	Water spray is recommended. Halon, foam, dry chemical, CO2 or any ABC class
Media:	extinguisher are acceptable. Use extinguishing agent most appropriate to
	surrounding materials. Cool containers with water spray to avoid rupture due to
	thermal expansion.
Specific Hazards:	This product is an aqueous mixture which will not burn. In a fire this material
	may decompose and produce acrid vapors, manganese, and iron compounds,
	and nitrogen oxides, carbon oxides and ammonia.
Protective	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid
Equipment and	inhaling combustion products.
Precautions for	Fire run-off should be contained to prevent possible environmental damage.
Fire-Fighters:	
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0

SDS: Ceia KarbN Max Chemical Dynamics, Inc.

Rev: 08/19/2024

	SECTION 6. ACCIDENTAL RELEASE MEASURES
Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.
Equipment:	Chemical splash-proof goggles.
	Chemical resistant apron and/or rubber boots may be needed.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand
	and maximize recovery.
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up and place into suitable containers for agronomical land application at recommended rates or dispose of in accordance with local/regional/national regulations (See Section 13 of SDS).

	SECTION 7.	HANDLING AND S	TORAGE
Precautions for safe handling:	Avoid contact with skin and eyes. Do not breathe sprays, vapors or mists. Do not eat, drink or use tobacco products when handling this material. Apply product in open areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources. Launder work clothes frequently and separate from other laundry.		
Conditions for safe storage: Incompatibilities:	Store in a well-ventilated, cool, dry place, away where freezing is possible. Do not store combustibles in the area of storage vessels. Keep away from any sources of heat or flame. Store tote and smaller containers out of direct sunlight at moderate temperatures. Keep containers tightly closed when not in use. Do not let product go below 42°F. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Solutions of potassium thiosulfate solution are stored in mild steel. Product solutions have been successfully stored in 304 stainless steel, fiberglass, polypropylene and HD polyethylene. Consult with tank manufacturers to confirm whether a specific resin is acceptable product storage.		
incompatibilities.	Strong oxidizers such as nitrates, nitrites or chlorates can cause explosive mixtures if heated to dryness. Acids will cause the release of sulfur dioxide, a severe respiratory hazard. Potassium thiosulfate solution is not compatible with lead or mercury or their alloys. These materials of construction should not be used in handling systems or storage containers for this product.		
_	SECTION 8. EXPOSURE	CONTROLS / PERS	ONAL PROTECTION
Component Exposure Limits:	Manganese Glucoheptonate	5 mg/m³ Not Established	PEL, OSHA (as Mn compounds) STEL, OSHA
		0.2 mg/m ³	TLV, ACGIH (as Mn compounds)

Component	Manganese	5 mg/m ³	PEL, OSHA (as Mn compounds)
Exposure Limits:	Glucoheptonate	Not Established	STEL, OSHA
		0.2 mg/m ³	TLV, ACGIH (as Mn compounds)
		500 mg/m ³	IDLH, NIOSH (as Mn)
		1 mg/m ³	TWA, NIOSH (as Mn)
		3 mg/m ³	STEL, NIOSH (as Mn)
	Iron Glucoheptonate	1 mg/m ³	PEL, OSHA (Iron Soluble Salts, as Fe)
		1 mg/m ³	TWA, ACGIH (Iron Soluble Salts, as Fe)
		Not Established	IDLH, NIOSH
		1 mg/m ³	REL, NIOSH (Iron Soluble Salts, as Fe)
		Not Established	STEL, NIOSH

Page 3 of 7

Rev: 08/19/2024 SDS: Ceia KarbN Max Chemical Dynamics, Inc.

	Urea	Not Established	PEL, OSHA
		10 mg/m ³	TWA, ACGIH
		Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
	Potassium Acetate	Not Established	PEL, OSHA
	and all other	Not Established	TWA, ACGIH
	proprietary	Not Established	IDLH, NIOSH
	components	Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
Engineering	Provide local exhaust ventilation and wash facilities.		
Controls:			
Personal	Eyes: Chemical splash-proof goggles (where splashing is possible)		
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing.		
Equipment:	Chemically resistant apron is recommended.		
	Respiratory: None required for ambient air concentrations (i.e. in the open under		
	normal agronomic conditions) not exceeding occupational exposure limits.		
	Respiratory protection may be required in the event of a spill in an enclosed		
	area. Use a NIOSH/MSHA approved SCBA with full face piece operated in a		
	positive pressure mode.		
General:	Eye wash stations and safety shower recommended.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Dark, Opaque liquid			
Odor:	Slight sweet odor	UEL / LEL:	Not Applicable	
Odor Threshold:	Not Available	Vapor Pressure:	Similar to water	
pH:	5 to 6	Density:	1.23 to 1.25 g/cm ³	
Melting/Freezing Point:	< 0°C (32°F)	Solubility:	Water	
Boiling Point:	> 100°C (212°F)	Logow:	Not Available	
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable	
Evaporation Rate:	Similar to water	Decomposition Temp:	Not Available	
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available	

	SECTION 10. STABILITY AND REACTIVITY		
Reactivity:	Stable		
Chemical Stability:	Stable under normal conditions		
Possibility of Hazardous	Hazardous polymerization will not occur.		
Reactions:			
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible		
	chemicals. Elevated temperatures may cause containers to rupture. Cold		
	temperatures may cause product to salt out.		
Incompatible Materials:	Water reactive materials, strong oxidizers.		
Hazardous Manganese and iron compounds, nitrogen oxides, ammonia and carbon			
Decomposition oxides			
Products:			

Rev: 08/19/2024 SDS: Ceia KarbN Max Chemical Dynamics, Inc.

	SECTION 11. TOXILOGICAL INFORMATION
Acute Toxicity:	Manganese Glucoheptonate:
-	LD50 oral (rat): Not available, but for an analog manganese
	compound: LD50 oral (rat) >5000 mg/kg
	Iron Glucoheptonate,
	LD50 oral (rat): >2000 mg/kg
	Potassium Acetate
	LD50 oral (rat) > 3250 mg/kg (25% basis)
	Urea:
	LD50 oral (rat): > 8471 mg/kg
Likely Routes of	Inhalation, ingestion or skin absorption
Exposure:	
Symptoms and Signs of	Eyes: May cause mild irritation. May result in redness, tearing and blurred
Exposure:	vision.
	Skin: May cause mild irritation to the skin. May result in redness, itching
	and pain.
	Ingestion: May cause digestive tract irritation, with accompanying nausea,
	vomiting and diarrhea.
	Inhalation of mist may irritate or burn nose, throat and lungs. Coughing,
	nausea, headaches and weakness are possible.
	Effects are expected to be transient.
Chronic Effects:	Prolonged skin contact may result in dermatitis (inflammation and
	redness of skin.
	Manganese may lead to neurotoxicity that resembles Parkinson disease.
	These patients may have bradykinesia, resting tremor, psychiatric
	disturbances, and shuffling gait. Also, chronic excess manganese
	inhalational exposures may lead to pulmonary inflammation and
	subsequent reactive airway disease.
Carcinogenetic:	None of this product's components are listed by IARC, ACGIH, OSHA,
	NIOSH or NTP as carcinogenic.
Mutagenicity:	Not Available
Reproductive Toxicity:	Not Available
	SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity:	In high concentrations, this product may be harmful to both terrestrial
	and aquatic plant or animal life.
Other Adverse Effects:	Not harmful to ozone layer
Ecotoxicity:	Manganese Glucoheptonate: Not Available. However, for analogous,
	derived from water soluble manganese compound:
	LC50 Daphnia magna (Water Flea): 15200 ug/L/48 hr; static
	LC50 Canthocamptus sp (Harpacticoid Copepod): 150 ug/L/48 hr;
	static
	LC50 Pimephales promelas (Fathead Minnow): 30600 ug/L/96 hr;
	flow through
	, , , ,
	Potassium Acetate: EC50 (48 hr) Daphnia similis (Water Flea): 1050 mg/L, Fresh water, Static

SDS: Ceia KarbN Max Chemical Dynamics, Inc.

Rev: 08/19/2024

LC50 (96 hr) Pimephales promelas (Flathead Minnow): 298 mg/L
Fresh Water, Renewal
Urea:
LC50 (24 hr) Daphnia magna (Water flea): > 10000 mg/L.
Freshwater; static
LC50 – Poecilia retiulata (guppy): 17,500 mg/L for 96 hrs
Iron Glucoheptonate: Not Available

	Iron Glucoheptonate: Not Available	
	SECTION 13. DISPOSAL CONSIDERATIONS	
General Information:	None	
Disposal Instructions:	Agronomical land application at recommended rates or dispose of in	
	accordance with local/regional/national regulations.	
	SECTION 14. TRANSPORT INFORMATION	
This material is not hazar	dous as defined by 49 CFR 172.101 by the US Department of	
Transportation		
Proper Shipping Name:	Not Applicable	
Hazard Class:	Not Applicable	
UN Identification #:	Not Applicable	
Packing Group:	Not Applicable	
Required Label(s):	Not Applicable	
Emergency Response	Not Applicable	
Guide Number:		
Marine Pollutant:	Yes (Manganese)	
SECTION 15. REGULATORY INFORMATION		
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.	
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.	
United States - SARA	This product has been reviewed according to the EPA Hazard Categories	
Hazard Category:	promulgated under Sections 311 and 312 of Title III of the Superfund	
	Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:	
	applicable definitions, to meet the following categories.	
	Fire - No, Pressure - No, Acute - Yes, Chronic - No, Reactive - No	
SARA Title III	This product contains the following substances subject to the reporting	
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and	
	Reauthorization Act of 1986 and 40 CFR Part 372:	
Manganese	CERCLA RQ (pounds): No RQ is assigned to this generic or broad class,	
Glucoheptonate	(Manganese compounds) although the class is a CERCLA hazardous	
	substance. See 50 Federal Register 13456 (April 4, 1985).	
	SARA Reporting, 302: No	
	SARA Reporting, 304: No	
	SARA Reporting, 313: : Yes, 1.0% de minimus concentration (N450,	
	Manganese Compounds)	
Iron and Magnesium	CERCLA RQ (pounds): No	
Glucoheptonate, Urea	SARA Reporting, 302: No	
	SARA Reporting, 304: No	
	SARA Reporting, 313: No	

Rev: 08/19/2024 SDS: Ceia KarbN Max Chemical Dynamics, Inc.

Federal Insecticide, Fungicide, and Rodenticide Act	This product is not a pesticide.
State Regulations:	Other state regulations may apply. Check individual state requirements.
SECTION 16. OTHER INFORMATION	
Date of Revision:	08/19/2024, revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Because safety standards and regulations are subject to change and because Chemical Dynamics, Inc. has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. No warranty, expressed or implied, and no liability is assumed by Chemical Dynamics, Inc. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents.

SDS: Ceia KarbN Max

Rev: 08/19/2024

Chemical Dynamics, Inc.

Page 7 of 7