## **SAFETY DATA SHEET**

Ceia Micro Max Date Prepared: 6/17/2024 Replaces: All Previous

## **SECTION 1. IDENTIFICATION**

Product Name: Ceia Micro Max

Synonyms: None

Phone:

Use: Agricultural, Liquid Micronutrient Fertilizer

Manufacturer: Chemical Dynamics, Inc.

4206 Business Lane Plant City FL 33566

813-752-4950

Chemtrec (Emergency) Phone: 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION** Signal Word **Hazard Class Pictogram Hazard Category Hazard Statement** Cat 2 Skin Irritation Causes skin and WARNING Eye Irritation Cat 2A serious eve irritation. May cause damage to central nervous STOT: repeat exposure Cat 2 system through prolonged or repeat exposure **Precautionary Prevention:** Wash thoroughly after handling. Use only outdoors or in a well-Statements: ventilated area. Wear chemical splash proof goggles and chemical resistant gloves. **Response**: Get medical attention/advice if you feel unwell.

<u>If in eyes:</u> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention.

<u>If swallowed</u>: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

<u>If on skin (or hair)</u>: Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse. If skin irritation occurs, get medical

attention.

<u>If inhaled</u>: Remove person to fresh air and keep comfortable for breathing. **Storage:** Keep container tightly closed when not in use. Store above 42°F

**Disposal:** Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.

SECTION 3. COMPOSITION				
Material	CAS#	EINECS #	%WT	
Manganese Glucoheptonate	12565-60-5	811-234-5	4-6%	
Magnesium Glucoheptonate	68475-44-5	270-642-6	Proprietary Blend of	
Ferrous Glucoheptonate	25126-38-9	Not Assigned	materials not classified as	
Zinc Glucoheptonate	12565-63-8	Not Assigned	hazardous or are below de	
Copper Glucoheptonate	Not Assigned	Not Assigned	minimus classification limits	
Urea	57-13-6	200-315-5		
Water	7732-18-5	231-791-2		

See product label for guaranteed analysis.

SECTION 4. FIRST AID MEASURES		
General:	In case of persisting adverse effects consult a physician. Treat symptomatically.	
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give	
	anything by mouth to an unconscious person.	
Skin Contact:	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and	
	water. Wash contaminated clothing before reuse. If skin irritation occurs, get	
	medical advice/attention.	
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing.	
	Provide artificial respiration if necessary. Seek medical attention if necessary.	
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses if	
	present and easy to do. Continue rinsing. If eye irritation persists, get medical	
	attention.	
Acute Exposure	Irritation to respiratory tract. Irritation or burning sensation to eyes. Prolonged	
Symptoms:	or repeated contact with skin may cause skin irritation. Ingestion of product	
	solution may cause irritation of the gastrointestinal tract to include nausea,	
	vomiting and diarrhea.	
Chronic Exposure	Prolonged skin contact may result in dermatitis (inflammation and redness of	
Symptoms:	skin). Manganese may lead to neurotoxicity that resembles Parkinson disease.	
	These patients may have bradykinesia, resting tremor, psychiatric disturbances,	
	and shuffling gait.	
	SECTION 5. FIRE FIGHTING MEASURES	
Extinguishing	Water spray is recommended. Halon, foam, dry chemical, CO2 or any ABC class	
Media:	extinguisher are acceptable. Use extinguishing agent most appropriate to	
	surrounding materials. Cool containers with water spray to avoid rupture due to	
	thermal expansion.	
Specific Hazards:	This product is an aqueous mixture which will not burn. In a fire this material	
	may decompose and produce acrid vapors, manganese, zinc, copper and iron	
	compounds, sulfur and nitrogen oxides, carbon oxides and ammonia.	
Protective	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid	
Equipment and inhaling combustion products.		
Precautions for	Fire run-off should be contained to prevent possible environmental damage.	
Fire-Fighters:		
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0	

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Rev: 6/17/2024 SDS: Ceia Micro Max Page 2 of 7 Chemical Dynamics, Inc.

Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.
Equipment:	Chemical splash-proof goggles.
	Chemical resistant apron and/or rubber boots may be needed.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand
	and maximize recovery.
Clean Up: Pump into a suitable tank or absorb with diatomaceous earth or sand. Sw	
	and place into suitable containers for agronomical land application at
	recommended rates or dispose of in accordance with local/regional/national
	regulations (See Section 13 of SDS).

SECTION 7. HANDLING AND STORAGE				
Precautions for safe handling:	Avoid contact with skin and eyes. Do not breathe sprays, vapors or mists. Do not eat, drink or use tobacco products when handling this material. Apply product in open areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources. Launder work clothes frequently and separate from other laundry.			
Conditions for safe storage:	Store in a well-ventilated, cool, dry place, away where freezing is possible. Do not store combustibles in the area of storage vessels. Keep away from any sources of heat or flame. Store tote and smaller containers out of direct sunlight at moderate temperatures. Keep containers tightly closed when not in use. Do not let product go below 42°F. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.  Product solutions have been successfully stored in 304 stainless steel, fiberglass, polypropylene and HD polyethylene. Consult with tank manufacturers to confirm whether a specific resin is acceptable product storage.			
incompatibilities.	Strong oxidizers such as nitrates, nitrites or chlorates can cause explosive mixtures if heated to dryness. Avoid containers, piping, or fittings made of brass, bronze, aluminum, alloys of these materials or galvanized metals. These materials of construction should not be used in handling systems or storage containers for this product.			
	SECTION 8. EXPOSURE	CONTROLS / PERS	SONAL PROTECTION	
Component Exposure Limits:	Manganese Glucoheptonate	5 mg/m <sup>3</sup> Not Established 0.2 mg/m <sup>3</sup> 500 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 3 mg/m <sup>3</sup>	PEL, OSHA (as Mn compounds)  STEL, OSHA  TLV, ACGIH (as Mn compounds)  IDLH, NIOSH (as Mn)  TWA, NIOSH (as Mn)  STEL, NIOSH (as Mn)	
Component Exposure Limits:	Copper Glucoheptonate	1 mg/m³ 1 mg/m³ 100 mg/m³ 1 mg/m³ Not Established	PEL, OSHA (Cu dust/mist) TWA, ACGIH (Cu dust/mist) IDLH, NIOSH (Cu dust/mist) REL, NIOSH (Cu dust/mist) STEL, NIOSH	

Rev: 6/17/2024 SDS: Ceia Micro Max Chemical Dynamics, Inc.

	Iron Glucoheptonate	1 mg/m <sup>3</sup>	PEL, OSHA (Iron Soluble Salts, as Fe)
		1 mg/m <sup>3</sup>	TWA, ACGIH (Iron Soluble Salts, as Fe)
		Not Established	IDLH, NIOSH
		1 mg/m <sup>3</sup>	REL, NIOSH (Iron Soluble Salts, as Fe)
		Not Established	STEL, NIOSH
	Urea	Not Established	PEL, OSHA
		10 mg/m <sup>3</sup>	TWA, ACGIH
		Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
	Magnesium	Not Established	PEL, OSHA
	Glucoheptonate,	Not Established	TWA, ACGIH
	Zinc Glucoheptonate	Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
Engineering	Provide local exhaust ventilation and wash facilities.		
Controls:			
Personal	Eyes: Chemical splash-proof goggles (where splashing is possible)		
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing.		
Equipment:	Chemically resistant apron is recommended.		
	Respiratory: None required for ambient air concentrations (i.e. in the open under		
	_	•	ding occupational exposure limits.
	Respiratory protection may be required in the event of a spill in an enclosed		
	area. Use a NIOSH/MSHA approved SCBA with full face piece operated in a		
	positive pressure mode.		
General:	Eye wash stations and safety shower required.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Dark, Opaque liquid		
Odor:	Slight sweet odor	UEL / LEL:	Not Applicable
Odor Threshold:	Not Available	Vapor Pressure:	Similar to water
pH:	3 to 4	Density:	1.225 to 1.245 g/cm <sup>3</sup>
Melting/Freezing Point:	< 0°C (32°F)	Solubility:	Water
<b>Boiling Point:</b>	> 100°C (212°F)	Logow:	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
<b>Evaporation Rate:</b>	Similar to water	Decomposition Temp:	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available

SECTION 10. STABILITY AND REACTIVITY		
Reactivity: Stable		
Chemical Stability:	Stable under normal conditions	
Possibility of Hazardous Hazardous polymerization will not occur.		
Reactions:		
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible	
	chemicals. Elevated temperatures may cause containers to rupture. Cold	
	temperatures may cause product to salt out.	

SDS: Ceia Micro Max Chemical Dynamics, Inc.

Rev: 6/17/2024

Incompatible Materials:	Water reactive materials, strong oxidizers.
Hazardous	Manganese, zinc, copper and iron compounds, sulfur oxides, nitrogen
Decomposition	oxides, ammonia and carbon oxides
Products:	

SECTION 11. TOXILOGICAL INFORMATION		
Acute Toxicity:	Manganese Glucoheptonate:  LD50 oral (rat): Not available, but for an analog manganese	
	compound: LD50 oral (rat) >5000 mg/kg	
	Iron Glucoheptonate,	
	LD50 oral (rat): >2000 mg/kg	
	Magnesium Glucoheptonate:	
	LD50 oral (rat): >2000 mg/kg	
	Urea: LD50 oral (rat): > 8471 mg/kg	
	Zinc Glucoheptonate: LD50 oral (rat):	
	Not available, but for analog zinc complex	
	the LD50(oral) Mouse >5000 mg/kg for similar concentration in	
	this product	
	Cooper Glucoheptonate:	
	LD50 oral (rat): >2000 mg/kg	
Likely Routes of	Inhalation, ingestion or skin absorption	
Exposure:		
Symptoms and Signs of	Eyes: May cause mild irritation. May result in redness, tearing and blurred	
Exposure:	vision.	
	Skin: May cause mild irritation to the skin. May result in redness, itching	
	and pain.	
	Ingestion: May cause digestive tract irritation, with accompanying nausea,	
	vomiting and diarrhea.	
	Inhalation of mist may irritate or burn nose, throat and lungs. Coughing,	
	nausea, headaches and weakness are possible.	
	Effects are expected to be transient.	
Chronic Effects:	Prolonged skin contact may result in dermatitis (inflammation and	
	redness of skin.	
	Manganese may lead to neurotoxicity that resembles Parkinson disease.	
	These patients may have bradykinesia, resting tremor, psychiatric	
	disturbances, and shuffling gait. Also, chronic excess manganese	
	inhalational exposures may lead to pulmonary inflammation and	
Construction of the construction	subsequent reactive airway disease.	
Carcinogenetic:	None of this product's components are listed by IARC, ACGIH, OSHA,	
B.A. et a consisite e	NIOSH or NTP as carcinogenic.	
Mutagenicity:	Not Available	
Reproductive Toxicity:	Not Available	
	SECTION 12. ECOLOGICAL INFORMATION	
Ecotoxicity:	In high concentrations, this product may be harmful to both terrestrial	
	and aquatic plant or animal life.	
Other Adverse Effects: Not harmful to ozone layer		

SDS: Ceia Micro Max Chemical Dynamics, Inc.

Rev: 6/17/2024

Ecotoxicity:	Manganese Glucoheptonate: Not Available. However, for analogous,
	derived from water soluble manganese compound:
	LC50 Daphnia magna (Water Flea): 15200 ug/L/48 hr; static
	LC50 Canthocamptus sp (Harpacticoid Copepod): 150 ug/L/48 hr;
	static
	LC50 Pimephales promelas (Fathead Minnow): 30600 ug/L/96 hr;
	flow through
	Urea:
	LC50 (24 hr) Daphnia magna (Water flea): > 10000 mg/L.
	Freshwater; static
	LC50 – Poecilia retiulata (guppy): 17,500 mg/L for 96 hrs
	Iron Glucoheptonate, Magnesium Glucoheptonate, Copper
	Glucoheptonate: Not Available

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information: None		
Disposal Instructions:	Agronomical land application at recommended rates or dispose of in	
	accordance with local/regional/national regulations.	
	SECTION 14. TRANSPORT INFORMATION	
This material is not hazar	dous as defined by 49 CFR 172.101 by the US Department of	
Transportation		
Proper Shipping Name:	Not Applicable	
Hazard Class:	Not Applicable	
UN Identification #:	Not Applicable	
Packing Group:	Not Applicable	
Required Label(s): Not Applicable		
<b>Emergency Response</b>	Not Applicable	
Guide Number:		
Marine Pollutant:	Yes (Manganese)	

SECTION 15. REGULATORY INFORMATION			
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.		
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.		
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:  Fire – No, Pressure – No, Acute – Yes, Chronic – No, Reactive – No		
SARA Title III	This product contains the following substances subject to the reporting		
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and		
	Reauthorization Act of 1986 and 40 CFR Part 372:		
Manganese	CERCLA RQ (pounds): No RQ is assigned to this generic or broad class,		
Glucoheptonate	heptonate (Manganese compounds) although the class is a CERCLA hazardous		
	substance. See 50 Federal Register 13456 (April 4, 1985).		
	SARA Reporting, 302: No		

Rev: 6/17/2024 SDS: Ceia Micro Max Chemical Dynamics, Inc.

	SARA Reporting, 304: No
	SARA Reporting, 313: : Yes, 1.0% de minimus concentration (N450,
	Manganese Compounds)
Iron and Magnesium	CERCLA RQ (pounds): No
Glucoheptonate, Urea	SARA Reporting, 302: No
	SARA Reporting, 304: No
	SARA Reporting, 313: No
Federal Insecticide,	This product is not a pesticide.
Fungicide, and	
Rodenticide Act	
State Regulations:	Other state regulations may apply. Check individual state requirements.
SECTION 16. OTHER INFORMATION	
Date of Revision:	6/17/2024, revision prepared in accordance with 29 CFR 1910.1200
	Appendix D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material
	designated and does not relate to any process or use with any other
	materials. This information is based on data believed to be accurate and
	reliable as of the date hereof. It is intended for use by persons possessing
	technical knowledge at their own discretion and risk. Because safety
	standards and regulations are subject to change and because Chemical
	Dynamics, Inc. has no continuing control over the material, those
	handling, storing or using the material should satisfy themselves that they
	have current information regarding the particular way the material is
	handled, stored or used and that the same is done in accordance with
	federal, state and local law. No warranty, expressed or implied, and no
	liability is assumed by Chemical Dynamics, Inc. in conjunction with the use
	of this information. Nothing herein is to be construed as a
	recommendation to infringe any patents.

Rev: 6/17/2024